



**Material Safety Data Sheet**

**1. Product and company identification**

- ◆ Product Name: Blood Glucose Test Strip
- ◆ Other/Generic Name: None
- ◆ Product use: For in vitro diagnostic use ONLY(for testing outside the body), react through blood glucose meter
- ◆ Manufacturer:

EPS BIO TECHNOLOGY CORP.

No.8, R&D RD.III, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, 30077, R.O.C

<http://www.epsbio.com> Email: [info@epsbio.com.tw](mailto:info@epsbio.com.tw)

For more information call: TEL: +886-3-6686868 (Monday ~ Friday)

**2. Composition / information on ingredients**

FAD glucose dehydrogenase (Aspergillus oryzae, 2.0 IU/test strip)	6 (w/w) %
Potassium ferricyanide	56 (w/w) %
Non-reactive ingredients	38 (w/w) %

**3. Hazards identification**

- ◆ Blood Glucose Test Strip is for in vitro diagnostic use ONLY.
- ◆ Blood Glucose Test Strip is not intended for human consumption or injection.

**4. Handling and storage**

- ◆ Do not refrigerate or freeze.
- ◆ Store the test strip at temperature between 2°C to 30°C (35.6°F to 86°F).
- ◆ Keep away from direct sunlight and heat.
- ◆ Indicate the first opening date on the vial.
- ◆ Discard test strips and vial 6 months after first opening date.
- ◆ Replace the vial cap immediately after removing a test strip from the vial.
- ◆ Handle the test strip only with dry and clean hands.
- ◆ Store your test strips in their original vial only.
- ◆ Do not transfer them to a new vial or any other container.

**5. Toxicological information**

- ◆ Immediate (acute) Effects: None
- ◆ Delayed (sub chronic and chronic) Effects: None
- ◆ Other Date: None

**6. Disposal Consideration**

- ◆ Waste disposal: Please consult local, state, federal regulations for additional guidance on disposal.

**7. Transport Information (See also point 4)**

- ◆ Sea/Air/Road/Rail: Store the test strip at temperature between 2°C to 30°C (36°F to 86°F).