



Revision date: MSDS 2016/02/03

## Material Safety Data Sheet

### 1. Product and company identification

- Product Name: Blood glucose test strip
- Other/generic name: none
- Product use: for in vitro diagnostic use ONLY (for testing outside the body), reach through blood glucose meter
- Manufacturer  
EPS Bio Technology Corp.  
No.8, R&D Road III, Hsinchu Science Park, Hsinchu, Taiwan, R.O.C.  
http: [www.epsbio.com](http://www.epsbio.com) e-mail: [info@epsbio.com.tw](mailto:info@epsbio.com.tw)  
For more information, please call +886-3-668-6868

### 2. Composition / Information on ingredients

Glucose oxidase (aspergillus niger)	$\geq 0.6$ IU
Potassium ferricyanide	$\geq 0.03$ mg
Non-reactive ingredients (buffer, mediator, etc.)	$\geq 0.06$ mg

### 3. Hazards identification

- Blood glucose test strip is for in vitro diagnostic use ONLY.
- Blood glucose test strip is not intended for human consumption or injection.

### 4. Handling and storage

- Do not refrigerate or freeze.
- Store the test strip at temperature between 2°C to 30°C (35.6°F to 86°F).



- Keep away from direct sunlight and heat.
- Indicate the first opening date on the vial.
- Discard test strips and vial 3 months after the first opening date.
- Replace the vial cap immediately after removing a test strip from vial.
- Handle the test strip only with dry and clean hands.
- Store your test strips in their original vial only.
- Do not transfer them to a new vial or any other container.

## 5. Toxicological information

- Immediate (acute) effects: none
- Delayed (sub chronic and chronic) effects: none
- Other date: none

## 6. Disposal consideration

Waste disposal: please consult local, state, federal regulations for additional guidance on disposal.

## 7. Transportation information (see also point 4)

Sea/air/road/rail: store the test strips at temperature between 2°C to 30°C (35.6°F to 86°F).